



FIND A DEALER

www.bbcind.com/dealer-locator

5 CAPPER DR
PACIFIC, MO 63069

Hours of Operation
Monday - Friday
8:00am - 4:30pm (CST)

Contact
FAX: 636.343.3952
info@bbcind.com

800•654•4205

www.bbcind.com



MADE IN THE USA SINCE 1967



**SCREEN PRINT
EQUIPMENT +**

CONVEYOR DRYERS | FORCED AIR DRYERS | FLASH DRYERS | DIGITAL DRYERS | MANUAL PRINTING PRESSES

CONTACT

FAX: 636.343.3952
info@bbcind.com

Hours of Operation

Monday - Friday
8:00am - 4:30pm (CST)

5 CAPPER DR
PACIFIC, MO 63069

800•654•4205
www.bbcind.com

TABLE OF CONTENTS



FLASH
DRYERS

3-7



CONVEYOR
DRYERS

8-10



FORCED AIR
DRYERS

11-16



MANUAL
PRINTING
PRESSES

17-22



DIGITAL
DRYERS

23-26

THE

BBC[®]

DIFFERENCE.


Hot since 1967, BBC Industries has produced the best infrared dryer element on the market. We manufacture elements perfectly suited for the screen print and imaging industries. Our tight wire construction, longevity, and selection separate us from the competition.

EVEN EDGE-TO-EDGE *HEAT DISTRIBUTION*




SEE FOR YOURSELF!


Below are actual infrared comparisons between BBC heaters and our competitors.




COMPETITOR 1



BBC
INDUSTRIES, INC.



COMPETITOR 2



FEATURE COMPARISON



AFFORD-A-FLASH



BLACKFLASH



AIRFLASH



AUTO-FLASH



4-Leg Stand



5-Star Stand



Casters Included



360° Rotation



Leveling Mechanism



Built-in Heat Control



Forced Air



Water-Based Evaporation




Made to Mount to Auto-Press

| | AFFORD-A-FLASH | BLACKFLASH | AIRFLASH | AUTO-FLASH |
|-----------------------------|----------------|------------|----------|------------|
| 4-Leg Stand | | | | |
| 5-Star Stand | | | | |
| Casters Included | | | | |
| 360° Rotation | | | | |
| Leveling Mechanism | | | | |
| Built-in Heat Control | | Optional | | |
| Forced Air | | | | |
| Water-Based Evaporation | | | | |
| Made to Mount to Auto-Press | | | | |

AFFORD·A·FLASH®


Constructed to keep the price low, this flash unit satisfies the basic requirements for start-ups or can serve as a backup system. This unit does not have an indicator light or on/off switch. CE Units Available



4-Leg Stand &
Casters Included



360° Rotation



LC1600 16" x 16"
1575w
13.3A
120v

LC1800
1853w
7.8A
240v



LC2200 18" x 18"
2223w
18.5A
120v

LC2700
2708w
11.3A
240v


Afford-A-Flash® models compatible with most BLACK FLASH options. For acceptance of the HC-120 Heat Controller (not included), you will need the HCB-01 Bracket.

FLASH STAND OPTIONS

Space Saver™

Sometimes, the legs of the Black Flash stand may tend to get in the way. If you feel like the legs of your stand stick out a little farther into the aisle than you're comfortable with, check out the Space Saver! This kit swaps out two of the standard legs for two legs that are much shorter. The kit will also include a rotation limiter in order to keep the flash head from tipping over on the two shorter legs.

| MODEL | COMPATIBILITY |
|----------|----------------------|
| BF12-SSK | All BF and AF Models |



BLACKFLASH®

The BlackFlash® series is the industry standard for Flash curing inks on textiles and other substrates. As the most trusted and most used flash in the industry more printers trust the reliability and even heat distribution of the BBC BlackFlash than any other.

CE Units Available



360° Rotation



Leveling
Mechanism



5-Star Stand &
Casters Included




Optional Built-in
Heat Control



AIRFLASH®

A combined infrared and pass-through air dryer, our Air Flash Dryer is ideal for flashing or curing water-based or plastisol inks. Holes spaced evenly across the heater face make for a remarkably level spread of forced air. A blower in the rear of the dryer provides a steady stream of air through to the t-shirt.



AF2-4000 18" x 18"
4000W
16.7A
240V



Forced Air



Built-in
Heat Control



360° Rotation




Water-Based
Evaporation




5-Star Stand &
Casters Included

HC = Optional Built-in Heat Control
208v Options available upon request




BF1 16" x 16"

| | |
|--------|-------------|
| 1600SD | 1800SD • HC |
| 1575w | 1873w |
| 13.2A | 7.8A |
| 120v | 240v |




BF2 18" x 18"

| | |
|-------------|-------------|
| 2000SD | 2600SD |
| 1941w | 2708w |
| 16.2A | 11.3A |
| 120v | 240v |
| 2200SD • HC | 3400SD • HC |
| 2223w | 3383w |
| 18.5A | 14.1A |
| 120v | 240v |




BF4 24" x 24"

| |
|--------|
| 4000SD |
| 3958w |
| 16.5A |
| 240v |
| 5200SD |
| 4948w |
| 21.0A |
| 240v |



BF5 28" x 28"

| |
|--------|
| 5500SD |
| 5500w |
| 22.9A |
| 240v |



BF3 18" x 24"

| |
|-------------|
| 3001SD • HC |
| 3233w |
| 13.5A |
| 240v |
| 4500SD • HC |
| 4424w |
| 18.7A |
| 240v |




BF6 12" x 30"

| |
|--------|
| 3000SD |
| 3128w |
| 13.0A |
| 240v |

AUTO·FLASH®


Our AUTOFLASH dryers fit onto the floodbar of many automatic presses today and will shuttle out over the platen as the floodbar moves. Light-weight, these units are gentle on your press and easily moved. Every unit has a built-in heat control with leveling and height adjustment.



ABF3 18" x 24"


| | |
|--------|--------|
| 3001HC | 5750HC |
| 3233w | 5749w |
| 13.5A | 24.0A |
| 240v | 240v |

| |
|--------|
| 4500HC |
| 4498w |
| 18.7A |
| 240v |



ABF2 18" x 18"

| |
|--------|
| 2200HC |
| 2223w |
| 18.5A |
| 120v |
| 3400HC |
| 3383w |
| 14.1A |
| 240v |



Leveling
Mechanism



Fits Many
Automatic Presses



Built-in
Heat Control

FLASH STAND OPTIONS

Automatic Rotator

Rotate your flash on and off the platen with these two options. The Flash-A-Matic, which quickly transforms any Black Flash dryer into a foot-pedal operated automatic. This unit is available in either an automatic, with a dwell timer, or a manual foot-pedal operated rotator. Fits on any BBC Black Flash or Afford-A-Flash model.

| MODEL | VOLTS | AMPS |
|------------|-------|------|
| BFA-009/FS | 120 | 2.02 |



Platen Guard™

The Platen Guard™ is an ideal addition to any BBC Flash dryer. Featuring a Photo Eye which detects when your flash is in the cure position. Once curing is detected the Platen Guard™ starts its 60 second countdown. If your flash is still in the curing position after 60 seconds, the Platen Guard™ steps in and shuts down power to your flash while sounding an audible alarm to alert the user. In doing this, the Platen Guard™ lives up to its name by keeping your platens safe and usable.

| MODEL | MAX AMPS |
|--------|--------------------------------|
| PG-120 | BF1, BF2 (120v) |
| PG-218 | BF2, BF3, BF4-4000 (208v/240v) |



Heat Controls

Attach to any existing floor stand and control line voltage from 0-100%.

| MODEL | MAX AMPS | VOLTS |
|--------|----------|-------|
| HC-115 | 15.0 | 120 |
| HC-120 | 20.0 | 120 |
| HC-218 | 20.0 | 240 |
| HC-250 | 25.0 | 240 |



Height Adjustment


The height adjustment stand option gives you the ability to raise and lower your flash with the twist of a wrist.

| MODEL | COMPATIBILITY |
|------------|-------------------------|
| BF12-172HA | BF1, BF2 |
| BF12-174HA | BF3, BF4, BF5, BF6, AF2 |





FEATURE COMPARISON



CONVEYOR DRYERS



LITTLE BUDDY



BIG BUDDY



T-SERIES



Casters
Included



Built-in Dial
Heat Control



Built-in Digital
Heat Control



Built-in Dial
Speed Control



Built-in Button
Speed Control



Includes
TruTrak™ Belt



Auto Plateau
Technology™



No Crating
Fee

| | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Little Buddy

The Little Buddy is compact, lightweight and versatile. This is an ideal dryer for start-ups, small shops, short runs, and on-site jobs. CE Units Available



LB17-2000

100 shirts/hr
5'3" Conveyor
30" Chamber
1941w
16.2A
120v

LB17-3000

130 shirts/hr
5'3" Conveyor
30" Chamber
2992w
12.5A
240v



Includes
TruTrak™ Belt



Built-in
Heat Control



Built-in
Speed Control





18" Belt
Width



No Crating
Fee

Auto Plateau Technology

BBC's proprietary technology introduces your garment to a dual stage curing environment. Meaning, your garment reaches its cure temperature early in the chamber and then plateaus. This is especially important when printing with multiple colors or with an underbase, allowing the heat to penetrate all layers of ink.



Big Buddy

An amazing value for a growing screen printer. The technology in this dryer puts it head and shoulders above the rest. CE Units Available

BB17-6500

250 shirts/hr
8' Conveyor
48" Chamber
6500w
27.0 A
240v



Built-in
Speed Control



24" Belt
Width



No Crating
Fee



Includes
TruTrak™ Belt



Built-in Digital
Heat Control



Auto Plateau
Technology™

T Series

Reach whole new production levels with our T-Series conveyor dryers. Wider belts and a lot of heat make these perfect for high speed printing with multiple Manuals or an Automatic press. Check out all of the options.




Includes
TruTrak™ Belt



Built-in Digital
Heat Control



Built-in
Speed Control



48" Belt Width

48T08-4

8' Conveyor
48" Chamber

12150/16200 w
58.5/67.5 A 1p
208/240 v

48T08-5

8' Conveyor
60" Chamber

18480/24640 w
51.4/59.4 A 3p
208/240 v

48T10-4


10' Conveyor
48" Chamber

12150/16200 w
58.5/67.5 A
208/240 v

48T10-5

10' Conveyor
60" Chamber

18480/24640 w
51.4/59.4 A
208/240 v



36" Belt Width

36T08-4

8' Conveyor
48" Chamber

9260/12350 w
44.6/51.5 A
208/240 v

36T08-5

8' Conveyor
60" Chamber

13400/17860 w
64.5/74.5 A
208/240 v

36T10-4

10' Conveyor
48" Chamber

9260/12350 w
44.6/51.5 A
208/240 v

36T10-5

10' Conveyor
60" Chamber

13400/17860 w
64.5/74.5 A
208/240 v

Note: CHAMBER POSITION MAY BE CUSTOMIZED AT TIME OF ORDER TO ALLOW FOR THE ENTRANCE OR EXIT LENGTH YOU PREFER. (MINIMUM ENTRANCE AND EXIT LENGTH 12 INCHES)



FORCED AIR DRYERS

BBC
INDUSTRIES, INC.

FEATURE COMPARISON



AIR:CONVEYOR



AEOLUS



Includes
TruTrak™ Belt



Touch Screen
Controls



Built-in Digital
Heat Control



Built-in Digital
Speed Control



EdgeMax™
Technology



Forced Air



Water-Based
Evaporation



Multi-Zone
Control

| | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

FORCED AIR CONVEYOR

Take control of your capability with a BBC Forced Air Conveyors. Beyond handling **plastisol**, the BBC Forced Air Conveyor dryers are perfect for **water-based, discharge, DTG** or **pretreat**. Dual digital controlled infrared heat zones and dry forced air work together to produce an optimal cure for your ink set. Not only can the BBC Forced Air Conveyors cure your ink but it sets the standard in the industry for productivity, thruput and efficiency in their class. Highly Efficient BBC infrared panels provide the most even and efficient heat distribution available on the market. As the only electric infrared heat manufacture in the industry BBC KNOWS HEAT.



FORCED AIR-2408

Production rates are based on the following:
(times may vary based on process)

| | Dwell Time | Shirts per hour | | | | |
|-------------------|------------|-----------------|-----|-----|-----|-----|
| Plastisol | 25s | 750 | 400 | 350 | 350 | 300 |
| Water-Based | 45s | 425 | 220 | 200 | 200 | 160 |
| Direct-To-Garment | 130s | 150 | 75 | 65 | 65 | 55 |

Process Examples



Specs

8' Conveyor
48" Chamber


Heater Dimensions
(3) 12"x 24"

Heater Wattage

240v • 1P • 7,250w • 30A
240v • 3P • 7,250w • 17.5A

Apprx Ship Wt

550lbs



24" Belt Width

Unit design and data are subject to change at the discretion of BBC Industries, Inc.

FORCED AIR-3610

Production rates are based on the following:
(times may vary based on process)

| | Dwell Time | Shirts per hour | | | | |
|-------------------|------------|-----------------|-----|-----|-----|-----|
| Plastisol | 25s | 1150 | 760 | 700 | 700 | 575 |
| Water-Based | 45s | 640 | 425 | 380 | 380 | 325 |
| Direct-To-Garment | 130s | 225 | 150 | 130 | 130 | 110 |

Process Examples



Specs

10' Conveyor
48" Chamber


Heater Dimensions
(3) 12"x 36"

Heater Wattage

240v • 1P • 12,000w • 50A
240v • 3P • 12,000w • 29A

Apprx Ship Wt

650lbs



36" Belt Width



Forced Air



Water-Based
Evaporation



Built-in Digital
Heat Control



Built-in Digital
Speed Control



Includes
TruTrak™ Belt




Conveyor
Extensions Available



Multi-Zone
Control

TruTrak™
belt tracking technology

Developed by BBC over 10 years ago, the TruTrak™ belt tracking technology keeps your conveyor belt in line all the time! A silicon bead sewn into the belt is guided by a series of grooves in the roller to keep the belt perfectly aligned for the life of your oven. TruTrak is used on all of BBC's conveyor dryers to give optimum performance, and reduce down time realigning your belt.





Forced Air



Water-Based
Evaporation



Built-in Digital
Heat Control



Built-in Digital
Speed Control



Includes
TruTrak™ Belt



AEOLUS[®]

The next generation of Forced Air Conveyor Dryer.

Using BBC's proprietary heating elements the Aeolus dryer can cure it all. From plastisol to pretreat, and everything in between, the Aeolus out shines the competition. The Aeolus' revolutionary design uses banks of angled heating panels running along the edge of the PTFE coated belt to all but eliminate edge loss. Its unique design, partnered with BBC's proprietary watt density algorithm, provides the Aeolus with the most even edge-to-edge cure in its class.



Auto Shut-off



Conveyor Extensions
Available



Touch Screen
Controls



EdgeMax[™]
Technology



Multi-Zone
Control



Production rates are based on the following:
(times may vary based on process)


| | Dwell Time | Shirts per hour | | | | |
|-------------------|------------|-----------------|-----|-----|-----|-----|
| Plastisol | 30s | 1440 | 960 | 860 | 860 | 720 |
| Water-Based | 45s | 960 | 640 | 575 | 575 | 480 |
| Direct-To-Garment | 130s | 330 | 225 | 200 | 200 | 160 |

| | | | | | |
|------------------|-----------|-----------|-----------|-----------|-----------|
| Process Examples | | | | | |
| | 12" x 18" | 18" x 18" | 18" x 20" | 18" x 20" | 18" x 24" |
| | | | | | |
| | | | | | |
| | | | | | |

Conveyor Extensions Available in 24" sections

| | | | |
|----------------|--|-------------------|-------------------|
| OVERALL LENGTH | 144" | HEATER DIMENSIONS | (3) 20" x 40" |
| OVERALL WIDTH | 48" | HEATER CONTROL | Digital • 2 Zones |
| OVERALL HEIGHT | 59" | SPEED CONTROL | Digital |
| CHAMBER LENGTH | 72" | DWELL TIMES | 19s - 330s |
| BELT WIDTH | 36" | APPRX SHIP WEIGHT | 1000lbs |
| FORCED AIR | YES | | |
| HEATER WATTAGE | 240v • 1P • 17,280w • 72A 240v • 3P • 17,280w • 42A | | |

Unit design and data are subject to change at the discretion of BBC Industries, Inc.





Entry and Exit extensions available in 24" sections

Production rates are based on the following:
(times may vary based on process)

| | Dwell Time | Shirts per hour | | | | |
|-------------------|------------|-----------------|------|------|-----|-----|
| Plastisol | 30s | 1900 | 1440 | 1300 | 865 | 720 |
| Water-Based | 45s | 1280 | 960 | 860 | 575 | 480 |
| Direct-To-Garment | 130s | 450 | 330 | 300 | 200 | 165 |

Process Examples




| | | | |
|----------------|----------------------------|---------------------------|-------------------|
| OVERALL LENGTH | 144" | HEATER DIMENSIONS | (3) 20"x58" |
| OVERALL WIDTH | 66" | HEATER CONTROL | Digital • 2 Zones |
| OVERALL HEIGHT | 59" | SPEED CONTROL | Digital |
| CHAMBER LENGTH | 72" | DWELL TIMES | 19s - 330s |
| BELT WIDTH | 54" | APPRX SHIP WEIGHT | 1250lbs |
| FORCED AIR | YES | | |
| HEATER WATTAGE | 240V • 1P • 23,919W • 100A | 240V • 3P • 23,919W • 58A | |

Entry and Exit extensions available in 24" sections




PRINTING PRESSES



ALPHA




Ink Setter





LEGACY
POWERED BY
BBC

ALPHA



NYLON BOLT REGISTRATION

Keeping cost low but accuracy high the BBC Alpha comes standard with Nylon bolt registration. The Alpha's precision cut steel arms index between two large nylon bolts yielding consistent and accurate printing. Short runs or long the Alpha is built to get the job done.



MICRO REGISTRATION

Three adjuster barrels allow you to position your screens in perfect registration after the screen is clapped. Side to side, in and out, and rotational movement is easy and fast. Once located just secure the microlok knobs top prevent the screen from any further movement.



QUICK RELEASE PLATEN

The Alpha comes standard with a quick release platen system. Easily change platen sizes to meet each jobs specifications.



The BBC Alpha Press is as its name implies, the beginning. This starter press is a great option to get your screenprint business off the ground, as a secondary press or even for Onsite Printing. Its low cost, lightweight design and customazation makes it ideal for these applications.

Customize your BBC Alpha Press by selecting the # of print head, stations, platen size or type.



BENCH MOUNT

| | |
|------------------------------|-----------|
| PART NUMBER | BBC23010 |
| COLORS/STATIONS | 4/1 MAX |
| MAX SCREEN WIDTH | 22" |
| DIMENSION - DIA x HGT | 84" x 51" |

This model is customizable from 1 color 1 station up to 4 color 1 station. Ask your sales representative for details on all models and specifications.



| | |
|------------------------------|-----------|
| PART NUMBER | BBC24030 |
| COLORS/STATIONS | 4/4 MAX |
| MAX SCREEN WIDTH | 22" |
| DIMENSION - DIA x HGT | 84" x 51" |

This model is customizable from 1 color 1 station up to 4 color 4 station. Ask your sales representative for details on all models and specifications.




| | |
|------------------------------|-----------|
| PART NUMBER | BBC24110 |
| COLORS/STATIONS | 6/4 MAX |
| MAX SCREEN WIDTH | 22" |
| DIMENSION - DIA x HGT | 84" x 51" |

This model is customizable from 1 color 1 station up to 6 color 6 station. Ask your sales representative for details on all models and specifications.

ALPHA PRINT & CURE

Whether you're live printing, short on space or just like its compact nature the Alpha Print and Cure is a great fit for you. The Alpha Print and Cure comes with either a 4/4 or 6/4 BBC Alpha Press on top and a 120V or 240V little buddy below. This productive, affordable and compact combo is a great option for starting out, adding capacity to your existing business or for live printing events.

Add a BBC Black Flash or Afford-a-Flash to complete your package.




ORDERING GUIDE

**LITTLE BUDDY
PART NUMBER
+
ALPHA
PART NUMBER
+
PAC-LB17**




I Ink Setter

Introducing the BBC Ink Setter. The Ink Setter's rugged design, precision registration and ease of use has taken the mid-level press market to a new level. The Ink Setter has top end press components and precision with 2 sets of tapered bearings and a machined center shaft. The Ink Setter keeps everything in perfect alignment for the life of the machine. It also includes roller bearing registration and upgradable micros making the Ink Setter the last machine you will ever print on.




ROLLER BEARING REGISTRATION

An upgrade to nylon bolt registration, the roller bearing system provides long lasting precision registration. BBC's tongue and groove style provides minimal wear and adjustments, offering perfect registration for the life of the machine.



LINKED MICRO REGISTRATION

Three adjuster barrels allow you to position your screens in perfect registration after the screen is clamped. Side to side, in and out, and rotational movement is easy and fast. Once located just secure the microlok knobs top prevent the screen from any further movement.



NON-LINKED MICRO REGISTRATION

Gone are the days of dealing with skewing screens when dialing in registration. The BBC Legacy gives you true left and right, or in and out motion to drastically shorten setup and increase efficiency and profitability. The spring loaded micros have no lash and you will never go back.



PART NUMBER BBC22080
COLORS/STATIONS 4/4
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 90" x 48"

This model is customizable from 1 color 1 station up to 4 color 1 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC22090
COLORS/STATIONS 6/4
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 90" x 48"


This model is customizable from 1 color 1 station up to 6 color 4 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC22100
COLORS/STATIONS 6/6
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 90" x 48"


This model is customizable from 1 color 1 station up to 6 color 6 station. Ask your sales representative for details on all models and specifications.

With features like aluminum platens, side clamps and upgraded spring loaded micros you can customize your Ink Setter to fit your specifications. Do you have an auto? Rest assured the Ink Setter can be equipped with our proprietary platen adapter to fit most automatic platens. Is precision important? Out of the Box the BBC Ink Setter is nearly perfectly in Plane from palten to platen and does not require shimming like lesser machines in its class. Want more? That precision will remain for the life of your machine. With a welded steel base, precision machined shaft and heavy duty print and screen arms, the BBC Ink Setter is built to last.




PRECISION WELDED STEEL STRUCTURE

The Ink Setter is manufactured using laser cut US steel and a solid machined center shaft. These high end materials and processes allows for extremely tight tolerances creating a lifetime of precision printing and stability.



SIDE CLAMPS


For a larger screen capacity and flexibility, BBC offers side clamps. For auto or round frames the side clamps provide a simple solution.




UNIVERSAL QUICK RELEASE PLATEN

The Ink Setter comes standard with a quick release platen system. Easily change platen sizes to meet each jobs specifications.

Add our universal quick release platen adapter to increase the compatibility of your platens across your press brands.




**REDEFINING
— THE —
INDUSTRY
STANDARD**




DUAL GATE REGISTRATION

The BBC Legacy employs the use of Dual Gate registration. The Only press in the Industry to use this 2 point registration system which is why it is the only press in the industry that will never get sloppy with age. 2 Point registration system, now that is a game changer.



FLOATING PRINT HEAD

The BBC Legacy is a true "All Arms Down Machine." Other machines claim this feature but get sloppy after this feature is used due to the lack of precision that this feature requires. Enter the BBC floating Print head. This features disengages the print head from the center of the machine and automatically centers the head on each print arm perfectly, everytime. The floating print head also allows for multiple printers at once without effecting each others prints as the print head is disengaged and not effected by movement of other print heads.



NON-LINKED MICRO REGISTRATION

Gone are the days of dealing with skewing screens when dialing in registration. The Legacy's non linked micro registration gives you true left and right, or in and out motion to drastically shorten setup and increase efficiency and profitability. The spring loaded micros have no lash and you will never go back.



PART NUMBER BBC20000
COLORS/STATIONS 4/4
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 96" x 48"

This model is customizable from 1 color 1 station up to 4 color 1 station. Ask your sales representative for details on all models and specifications.




PART NUMBER BBC20050
COLORS/STATIONS 6/6
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 96" x 48"

This model is customizable from 1 color 1 station up to 6 color 4 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC21050
COLORS/STATIONS 8/8
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 114" x 48"


This model is customizable from 1 color 1 station up to 4 color 1 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC22030
COLORS/STATIONS 10/10
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 132" x 48"

This model is customizable from 1 color 1 station up to 6 color 4 station. Ask your sales representative for details on all models and specifications.

With its revolutionary floating print head design, unrivaled precision, and rugged construction, The BBC Legacy is undoubtedly the world's best and most profitable manual screen printing press. Whether you choose a 4 color or 10 color, the Legacy will blow you away with its effortless rotation of both the print heads and platen arms. Utilizing 2 sets of ultra-industrial tapered bearing's, lathe turned center shaft and heavy wall aluminum platen arms the Legacy is built for a lifetime of printing. Want efficiency? Its non-linked micros will make setting up your next job a breeze and will eliminate the headache of skewing images you've experienced using other brands traditional micro systems. With the Legacy you get true left or right, in or out movement drastically cutting setup time and increasing profitability. Want flexibility? Easily change Platen sizes or type with the Legacy's quick release system. Have an automatic press? Simply add the Legacy Platen adapter and begin using platens from many popular automatic presses. Join the revolution and print your Legacy.




PRECISION WELDED STEEL STRUCTURE

The Legacy is manufactured using a combination of laser cut steel and a solid machined center shaft. The Legacy uses extruded aluminum arms to eliminate operator fatigue without sacrificing quality or strength. These high end materials and processes allows for extremely tight tolerances creating a lifetime of precision printing and stability.



SIDE CLAMPS

For a larger screen capacity and flexibility, BBC offers side clamps. For auto or round frames the side clamps provide a simple solution.



UNIVERSAL QUICK RELEASE PLATEN

The Legacy comes standard with a quick release platen system. Easily change platen sizes to meet each jobs specifications.

Add our universal quick release platen adapter to increase the compatibility of your platens across your press brands.



DIGITAL DRYERS

Wide Format Digital Printing has advanced to where the printers can apply ink faster than it can dry in open air. The wide variety of inks and medias available for different applications also increase the need for additional drying. This unique and first of a kind BBC portable infrared dryer will conveniently roll up to your printer and gently dry the ink to a full cure. Thousands of printers, around the world, are using the Digi Dri for print-to-cut, laminating immediately or using their take up reel without compromising the print. No more wasted time and space waiting for prints to outgas for hours. Print up to 860 ft²/hr with this scalable system.



Auto Shut-off
Optional



Built-in
Heat Control




Instant
Outgassing



5 Sizes
Available




Scalable



Laminate
Immediately



Casters
Included



LARGE FORMAT DRYER

Includes One Heater Assembly, One Controller and Stand. Recommended for Print Speeds Up to 200 Sq. Ft. per Hr.

| Model | Volts | Watts | Amps | Cord & Plug | For Printer Width | Weight |
|--------------------|-------|-------|------|--------------------------|-------------------|--------|
| DD36-675-120 V-DS | 120 | 675 | 5.6 | 10 ft. 120 Volt Grounded | Up to 36 inches | 58 lbs |
| DD54-1000-120 V-DS | 120 | 1000 | 8.3 | 10 ft. 120 Volt Grounded | Up to 54 inches | 63 lbs |
| DD54-1000-220 V-DS | 220 | 1000 | 4.5 | 10 ft. No plug provided | Up to 54 inches | 63 lbs |
| DD64-1200-120 V-DS | 120 | 1200 | 10.0 | 10 ft. 120 Volt Grounded | Up to 64 inches | 68 lbs |
| DD64-1200-220 V-DS | 220 | 1200 | 5.4 | 10 ft. No plug provided | Up to 64 inches | 68 lbs |
| DD72-1350-120 V-DS | 120 | 1350 | 11.3 | 10 ft. 120 Volt Grounded | Up to 72 inches | 73 lbs |
| DD72-1350-220 V-DS | 220 | 1350 | 6.1 | 10 ft. No plug provided | Up to 72 inches | 73 lbs |

SECOND HEATER KIT

Includes One Heater Assembly and One Controller. Recommended for Print Speeds Over 200 Sq. Ft. per Hr.

| Model | Volts | Watts | Amps | Cord & Plug | For Printer Width | Weight |
|---------------------|-------|-------|------|--------------------------|-------------------|--------|
| DDH36-675-120 V-DS | 120 | 675 | 5.6 | 10 ft. 120 Volt Grounded | Up to 36 inches | 29 lbs |
| DDH54-1000-120 V-DS | 120 | 1000 | 8.3 | 10 ft. 120 Volt Grounded | Up to 54 inches | 34 lbs |
| DDH54-1000-220 V-DS | 220 | 1000 | 4.5 | 10 ft. No plug provided | Up to 54 inches | 34 lbs |
| DDH64-1200-120 V-DS | 120 | 1200 | 10.0 | 10 ft. 120 Volt Grounded | Up to 64 inches | 39 lbs |
| DDH64-1200-220 V-DS | 220 | 1200 | 5.4 | 10 ft. No plug provided | Up to 64 inches | 39 lbs |
| DDH72-1350-120 V-DS | 120 | 1350 | 11.3 | 10 ft. 120 Volt Grounded | Up to 72 inches | 44 lbs |
| DDH72-1350-220 V-DS | 220 | 1350 | 6.1 | 10 ft. No plug provided | Up to 72 inches | 44 lbs |

GRANDE FORMAT DRYER


Includes One Heater Assembly, One Controller and Stand. Recommended for Print Speeds Up To 430 Sq. Ft. per Hr.

| Model | Volts | Watts | Amps | Cord & Plug | For Printer Width | Weight |
|--------------------|-------|-------|------|--------------------------|-------------------|---------|
| DD108-1800-120V-DS | 120 | 1800 | 15.0 | 10 ft. 120 Volt Grounded | Up to 108 inches | 116 lbs |
| DD108-2000-220V-DS | 220 | 2000 | 9.1 | 10 ft. No plug provided | Up to 108 inches | 116 lbs |

SECOND HEATER KIT

Includes One Heater Assembly and One Controller. Recommended for Print Speeds Up To 860 Sq. Ft. per Hr.

| Model | Volts | Watts | Amps | Cord & Plug | For Printer Width | Weight |
|--------------------|-------|-------|------|--------------------------|-------------------|--------|
| DD108-1800-120V-DS | 120 | 1800 | 15.0 | 10 ft. 120 Volt Grounded | Up to 108 inches | 87 lbs |
| DD108-2000-220V-DS | 220 | 2000 | 9.1 | 10 ft. No plug provided | Up to 108 inches | 87 lbs |



Increase your cure, allowing for printing up to 860 ff/hr
by adding the Second Heater Kit.