



FIND A DEALER

www.bbcind.com/dealer-locator

5 CAPPER DR
PACIFIC, MO 63069

Hours of Operation
Monday - Friday
8:00am - 4:30pm (CST)

Contact
FAX: 636.343.3952
info@bbcind.com

800•654•4205

www.bbcind.com



MADE IN THE USA SINCE 1967



**SCREEN PRINT
EQUIPMENT +**

CONVEYOR DRYERS | FORCED AIR DRYERS | FLASH DRYERS | DIGITAL DRYERS | MANUAL PRINTING PRESSES

CONTACT

FAX: 636.343.3952
info@bbcind.com

Hours of Operation

Monday - Friday
8:00am - 4:30pm (CST)

5 CAPPER DR
PACIFIC, MO 63069

800•654•4205
www.bbcind.com

TABLE OF CONTENTS



FLASH
DRYERS

3-7



CONVEYOR
DRYERS

8-10



FORCED AIR
DRYERS

11-16



MANUAL
PRINTING
PRESSES

17-22



DIGITAL
DRYERS

23-26

THE

BBC

DIFFERENCE.

Hot since 1967, BBC Industries has produced the best infrared dryer element on the market. We manufacture elements perfectly suited for the screen print and imaging industries. Our tight wire construction, longevity, and selection separate us from the competition.

EVEN EDGE-TO-EDGE *HEAT DISTRIBUTION*




SEE FOR YOURSELF!


Below are actual infrared comparisons between BBC heaters and our competitors.



COMPETITOR 1



BBC
INDUSTRIES, INC.



COMPETITOR 2



FEATURE COMPARISON



AFFORD-A-FLASH



BLACKFLASH



AIRFLASH



AUTO-FLASH



4-Leg Stand



5-Star Stand



Casters Included




360° Rotation



Leveling Mechanism



Built-In Heat Control



Forced Air



Water-Based Evaporation




Made to Mount to Auto-Press

	AFFORD-A-FLASH	BLACKFLASH	AIRFLASH	AUTO-FLASH
4-Leg Stand				
5-Star Stand				
Casters Included				
360° Rotation				
Leveling Mechanism				
Built-In Heat Control		Optional		
Forced Air				
Water-Based Evaporation				
Made to Mount to Auto-Press				

AFFORD-A-FLASH®

Constructed to keep the price low, this flash unit satisfies the basic requirements for start-ups or can serve as a backup system. This unit does not have an indicator light or on/off switch. CE Units Available



4-Leg Stand &
Casters Included



360° Rotation



LC1600 16" x 16"
1575w
13.3A
120v

LC1800
1853w
7.8A
240v



LC2200 18" x 18"
2223w
18.5A
120v

LC2700
2708w
11.3A
240v

Afford-A-Flash® models compatible with most **BLACK FLASH** options. For acceptance of the HC-120 Heat Controller (not included), you will need the HCB-01 Bracket.

FLASH STAND OPTIONS

Space Saver™

Sometimes, the legs of the Black Flash stand may tend to get in the way. If you feel like the legs of your stand stick out a little farther into the aisle than you're comfortable with, check out the Space Saver! This kit swaps out two of the standard legs for two legs that are much shorter. The kit will also include a rotation limiter in order to keep the flash head from tipping over on the two shorter legs.

MODEL	COMPATIBILITY
BF12-SSK	All BF and AF Models



BLACK FLASH®

The BlackFlash® series is the industry standard for Flash curing inks on textiles and other substrates. As the most trusted and most used flash in the industry more printers trust the reliability and even heat distribution of the BBC BlackFlash than any other.

CE Units Available



360° Rotation



Leveling
Mechanism



5-Star Stand &
Casters Included




Optional Built-in
Heat Control



AIR FLASH®

A combined infrared and pass-through air dryer, our Air Flash Dryer is ideal for flashing or curing water-based or plastisol inks. Holes spaced evenly across the heater face make for a remarkably level spread of forced air. A blower in the rear of the dryer provides a steady stream of air through to the t-shirt.



AF2-4000 18" x 18"
4000w
16.7A
240v



Forced Air



Built-in
Heat Control



360° Rotation



Water-Based
Evaporation



5-Star Stand &
Casters Included

HC = Optional Built-in Heat Control
208v Options available upon request



BF1 16" x 16"

1600SD	1800SD • HC
1575w	1873w
13.2A	7.8A
120v	240v



BF2 18" x 18"

2000SD	2600SD
1941w	2708w
16.2A	11.3A
120v	240v
2200SD • HC	3400SD • HC
2223w	3383w
18.5A	14.1A
120v	240v



BF3 18" x 24"

3001SD • HC
3233w
13.5A
240v
4500SD • HC
4424w
18.7A
240v



BF4 24" x 24"

4000SD
3958w
16.5A
240v
5200SD
4948w
21.0A
240v



BF5 28" x 28"

5500SD
5500w
22.9A
240v



BF6 12" x 30"

3000SD
3128w
13.0A
240v

AUTO·FLASH®

Our AUTOFLASH dryers fit onto the floodbar of many automatic presses today and will shuttle out over the platen as the floodbar moves. Lightweight, these units are gentle on your press and easily moved. Every unit has a built-in heat control with leveling and height adjustment.



ABF3 18" x 24"

3001HC	5750HC
3233w	5749w
13.5A	24.0A
240v	240v
4500HC	
4498w	
18.7A	
240v	



ABF2 18" x 18"

2200HC
2223w
18.5A
120v
3400HC
3383w
14.1A
240v



Leveling
Mechanism



Fits Many
Automatic Presses



Built-in
Heat Control

FLASH STAND OPTIONS

Automatic Rotator

Rotate your flash on and off the platen with these two options. The Flash-A-Matic, which quickly transforms any Black Flash dryer into a foot-pedal operated automatic. This unit is available in either an automatic, with a dwell timer, or a manual foot-pedal operated rotator. Fits on any BBC Black Flash or Afford-A-Flash model.

MODEL	VOLTS	AMPS
BFA-009/FS	120	2.02



Platen Guard™

The Platen Guard™ is an ideal addition to any BBC Flash dryer. Featuring a Photo Eye which detects when your flash is in the cure position. Once curing is detected the Platen Guard™ starts its 60 second countdown. If your flash is still in the curing position after 60 seconds, the Platen Guard™ steps in and shuts down power to your flash while sounding an audible alarm to alert the user. In doing this, the Platen Guard™ lives up to its name by keeping your platens safe and usable.

MODEL	MAX AMPS
PG-120	BF1, BF2 (120v)
PG-218	BF2, BF3, BF4-4000 (208v/240v)



Heat Controls

Attach to any existing floor stand and control line voltage from 0-100%.

MODEL	MAX AMPS	VOLTS
HC-115	15.0	120
HC-120	20.0	120
HC-218	20.0	240
HC-250	25.0	240



Height Adjustment

The height adjustment stand option gives you the ability to raise and lower your flash with the twist of a wrist.

MODEL	COMPATIBILITY
BF12-172HA	BF1, BF2
BF12-174HA	BF3, BF4, BF5, BF6, AF2





FEATURE COMPARISON



CONVEYOR DRYERS



LITTLE BUDDY



BIG BUDDY



T-SERIES



Casters
Included



Built-in Dial
Heat Control



Built-in Digital
Heat Control



Built-in Dial
Speed Control



Built-in Button
Speed Control



Includes
TruTrak™ Belt



Auto Plateau
Technology™



No Crating
Fee

Little Buddy

The Little Buddy is compact, lightweight and versatile. This is an ideal dryer for start-ups, small shops, short runs, and on-site jobs. CE Units Available



LB17-2000

100 shirts/hr
5'3" Conveyor
30" Chamber
1941 w
16.2A
120v

LB17-3000

130 shirts/hr
5'3" Conveyor
30" Chamber
2992 w
12.5A
240v



Includes
TruTrak™ Belt



Built-in
Heat Control



Built-in
Speed Control





18" Belt
Width



No Crating
Fee

Auto Plateau Technology

BBC's proprietary technology introduces your garment to a dual stage curing environment. Meaning, your garment reaches its cure temperature early in the chamber and then plateaus. This is especially important when printing with multiple colors or with an underbase, allowing the heat to penetrate all layers of ink.



Big Buddy

An amazing value for a growing screen printer. The technology in this dryer puts it head and shoulders above the rest. CE Units Available

BB17-6500

250 shirts/hr
8' Conveyor
48" Chamber
6500w
27.0A
240v



Built-in
Speed Control



24" Belt
Width



No Crating
Fee



Includes
TruTrak™ Belt



Built-in Digital
Heat Control



Auto Plateau
Technology™

T Series

Reach whole new production levels with our T-Series conveyor dryers. Wider belts and a lot of heat make these perfect for high speed printing with multiple Manuals or an Automatic press. Check out all of the options.



Includes
TruTrak™ Belt



Built-in Digital
Heat Control



Built-in
Speed Control



48" Belt Width

48T08-4

8' Conveyor
48" Chamber

12150/16200 w
58.5/67.5 A 1p
208/240 v

48T08-5

8' Conveyor
60" Chamber

18480/24640 w
51.4/59.4 A 3p
208/240 v

48T10-4


10' Conveyor
48" Chamber

12150/16200 w
58.5/67.5 A
208/240 v

48T10-5

10' Conveyor
60" Chamber

18480/24640 w
51.4/59.4 A
208/240 v



36" Belt Width

36T08-4

8' Conveyor
48" Chamber

9260/12350 w
44.6/51.5 A
208/240 v

36T08-5

8' Conveyor
60" Chamber

13400/17860 w
64.5/74.5 A
208/240 v

36T10-4

10' Conveyor
48" Chamber

9260/12350 w
44.6/51.5 A
208/240 v

36T10-5

10' Conveyor
60" Chamber

13400/17860 w
64.5/74.5 A
208/240 v

Note: CHAMBER POSITION MAY BE CUSTOMIZED AT TIME OF ORDER TO ALLOW FOR THE ENTRANCE OR EXIT LENGTH YOU PREFER. (MINIMUM ENTRANCE AND EXIT LENGTH 12 INCHES)



FORCED AIR DRYERS

BBC
INDUSTRIES, INC.

FEATURE COMPARISON



Ai:CONVEYOR



AEOLUS



Includes
TruTrek™ Belt



Touch Screen
Controls



Built-in Digital
Heat Control



Built-in Digital
Speed Control



EdgeMax™
Technology



Forced Air



Water-Based
Evaporation



Multi-Zone
Control

FORCED AIR CONVEYOR

Take control of your capability with a BBC Forced Air Conveyors. Beyond handling **plastisol**, the BBC Forced Air Conveyor dryers are perfect for **water-based, discharge, DTG** or **pretreat**. Dual digital controlled infrared heat zones and dry forced air work together to produce an optimal cure for your ink set. Not only can the BBC Forced Air Conveyors cure your ink but it sets the standard in the industry for productivity, thruput and efficiency in their class. Highly Efficient BBC infrared panels provide the most even and efficient heat distribution available on the market. As the only electric infrared heat manufacture in the industry BBC KNOWS HEAT.



AIR-2408

Production rates are based on the following:
(times may vary based on process)

	Dwell Time	Shirts per hour				
Plastisol	25s	750	400	350	350	300
Water-Based	45s	425	220	200	200	160
Direct-To-Garment	130s	150	75	65	65	55



Specs

8' Conveyor
48" Chamber

Heater Dimensions
(3) 12" x 24"

Heater Wattage

240v • 1P • 7,250w • 30A
240v • 3P • 7,250w • 17.5A

Apprx Ship Wt

550lbs

24" Belt Width

Unit design and data are subject to change at the discretion of BBC Industries, Inc.

AIR-3610

Production rates are based on the following:
(times may vary based on process)

	Dwell Time	Shirts per hour				
Plastisol	25s	1150	760	700	700	575
Water-Based	45s	640	425	380	380	325
Direct-To-Garment	130s	225	150	130	130	110



Specs

10' Conveyor
48" Chamber

Heater Dimensions
(3) 12" x 36"

Heater Wattage

240v • 1P • 12,000w • 50A
240v • 3P • 12,000w • 29A

Apprx Ship Wt

650lbs

36" Belt Width



Forced Air



Water-Based
Evaporation



Built-in Digital
Heat Control



Built-in Digital
Speed Control



Includes
TruTrak™ Belt



Conveyor
Extensions Available



Multi-Zone
Control

TruTrak™

belt tracking technology

Developed by BBC over 10 years ago, the TruTrak™ belt tracking technology keeps your conveyor belt in line all the time! A silicon bead sewn into the belt is guided by a series of grooves in the roller to keep the belt perfectly aligned for the life of your oven. TruTrak is used on all of BBC's conveyor dryers to give optimum performance, and reduce down time realigning your belt.





Forced Air



Water-Based
Evaporation

325°

Built-in Digital
Heat Control

0:40

Built-in Digital
Speed Control



Includes
TruTrak™ Belt



AEOLUS®

The next generation of Forced Air Conveyor Dryer.

Using BBC's proprietary heating elements the Aeolus dryer can cure it all. From plastisol to pretreat, and everything in between, the Aeolus out shines the competition. The Aeolus' revolutionary design uses banks of angled heating panels running along the edge of the PTFE coated belt to all but eliminate edge loss. Its unique design, partnered with BBC's proprietary watt density algorithm, provides the Aeolus with the most even edge-to-edge cure in its class.



Auto Shut-off




Conveyor Extensions
Available



Touch Screen
Controls



EdgeMax™
Technology



Multi-Zone
Control



Production rates are based on the following:
(times may vary based on process)

	Dwell Time	Shirts per hour				
Plastisol	30s	1440	960	860	860	720
Water-Based	45s	960	640	575	575	480
Direct-To-Garment	130s	330	225	200	200	160


Process Examples



Conveyor Extensions Available in 24" sections

OVERALL LENGTH	144"	HEATER DIMENSIONS	(3) 20" x 40"
OVERALL WIDTH	48"	HEATER CONTROL	Digital • 2 Zones
OVERALL HEIGHT	59"	SPEED CONTROL	Digital
CHAMBER LENGTH	72"	DWELL TIMES	19s - 330s
BELT WIDTH	36"	APPRX SHIP WEIGHT	1000lbs
FORCED AIR	YES		
HEATER WATTAGE	240v • 1p • 17,280w • 72A	240v • 3p • 17,280w • 42A	

Unit design and data are subject to change at the discretion of BBC Industries, Inc.





Entry and Exit extensions available in 24" sections

Production rates are based on the following:
(times may vary based on process)

	Dwell Time	Shirts per hour				
Plastisol	30s	1900	1440	1300	865	720
Water-Based	45s	1280	960	860	575	480
Direct-To-Garment	130s	450	330	300	200	165

Process Examples



OVERALL LENGTH	144"	HEATER DIMENSIONS	(3) 20"x58"
OVERALL WIDTH	66"	HEATER CONTROL	Digital • 2 Zones
OVERALL HEIGHT	59"	SPEED CONTROL	Digital
CHAMBER LENGTH	72"	DWELL TIMES	19s - 330s
BELT WIDTH	54"	APPRX SHIP WEIGHT	1250lbs
FORCED AIR	YES		
HEATER WATTAGE	240v • 1p • 23,919w • 100A		240v • 3p • 23,919w • 58A

Entry and Exit extensions available in 24" sections



PRINTING PRESSES



ALPHA



Ink Setter





NYLON BOLT REGISTRATION

Keeping cost low but accuracy high the BBC Alpha comes standard with Nylon bolt registration. The Alpha's precision cut steel arms index between two large nylon bolts yielding consistent and accurate printing. Short runs or long the Alpha is built to get the job done.



MICRO REGISTRATION

Three adjuster barrels allow you to position your screens in perfect registration after the screen is clamped. Side to side, in and out, and rotationally movement is easy and fast. Once located just secure the microlok knobs top prevent the screen from any further movement.



QUICK RELEASE PLATEN

The Alpha comes standard with a quick release platen system. Easily change platen sizes to meet each jobs specifications.

ALPHA



The BBC Alpha Press is as its name implies, the beginning. This starter press is a great option to get your screenprint business off the ground, as a secondary press or even for Onsite Printing. Its low cost, lightweight design and customazation makes it ideal for these applications.

Customize your BBC Alpha Press by selecting the # of print head, stations, platen size or type.



BENCH MOUNT

PART NUMBER	BBC23010
COLORS/STATIONS	4/1 MAX
MAX SCREEN WIDTH	22"
DIMENSION - DIA x HGT	84" x 51"

This model is customizable from 1 color 1 station up to 4 color 1 station. Ask your sales representative for details on all models and specifications.



PART NUMBER	BBC24030
COLORS/STATIONS	4/4 MAX
MAX SCREEN WIDTH	22"
DIMENSION - DIA x HGT	84" x 51"

This model is customizable from 1 color 1 station up to 4 color 4 station. Ask your sales representative for details on all models and specifications.



PART NUMBER	BBC24110
COLORS/STATIONS	6/4 MAX
MAX SCREEN WIDTH	22"
DIMENSION - DIA x HGT	84" x 51"

This model is customizable from 1 color 1 station up to 6 color 6 station. Ask your sales representative for details on all models and specifications.

ALPHA PRINT & CURE

Whether you're live printing, short on space or just like its compact nature the Alpha Print and Cure is a great fit for you. The Alpha Print and Cure comes with either a 4/4 or 6/4 BBC Alpha Press on top and a 120V or 240V little buddy below. This productive, affordable and compact combo is a great option for starting out, adding capacity to your existing business or for live printing events.

Add a BBC Black Flash or Afford-a-Flash to complete your package.



ORDERING GUIDE

**LITTLE BUDDY
PART NUMBER
+
ALPHA
PART NUMBER
+
PAC-LB17**



IInk Setter

Introducing the BBC Ink Setter. The Ink Setter's rugged design, precision registration and ease of use has taken the mid-level press market to a new level. The Ink Setter has top end press components and precision with 2 sets of tapered bearings and a machined center shaft. The Ink Setter keeps everything in perfect alignment for the life of the machine. It also includes roller bearing registration and upgradable micros making the Ink Setter the last machine you will ever print on.



ROLLER BEARING REGISTRATION

An upgrade to nylon bolt registration, the roller bearing system provides long lasting precision registration. BBC's tongue and groove style provides minimal wear and adjustments, offering perfect registration for the life of the machine.



LINKED MICRO REGISTRATION

Three adjuster barrels allow you to position your screens in perfect registration after the screen is clamped. Side to side, in and out, and rotational movement is easy and fast. Once located just secure the microlink knobs top prevent the screen from any further movement.



NON-LINKED MICRO REGISTRATION

Gone are the days of dealing with skewing screens when dialing in registration. The BBC Legacy gives you true left and right, or in and out motion to drastically shorten setup and increase efficiency and profitability. The spring loaded micros have no lock and you will never go back.



PART NUMBER BBC22080
COLORS/STATIONS 4/4
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 90" x 48"

This model is customizable from 1 color 1 station up to 4 color 1 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC22090
COLORS/STATIONS 6/4
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 90" x 48"

This model is customizable from 1 color 1 station up to 6 color 4 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC22100
COLORS/STATIONS 6/6
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 90" x 48"

This model is customizable from 1 color 1 station up to 6 color 6 station. Ask your sales representative for details on all models and specifications.

With features like aluminum platens, side clamps and upgraded spring loaded micros you can customize your Ink Setter to fit your specifications. Do you have an auto? Rest assured the Ink Setter can be equipped with our proprietary platen adapter to fit most automatic platens. Is precision important? Out of the Box the BBC Ink Setter is nearly perfectly in Plane from palten to platen and does not require shimming like lesser machines in its class. Want more? That precision will remain for the life of your machine. With a welded steel base, precision machined shaft and heavy duty print and screen arms, the BBC Ink Setter is built to last.



PRECISION WELDED STEEL STRUCTURE

The Ink Setter is manufactured using laser cut US steel and a solid machined center shaft. These high end materials and processes allows for extremely tight tolerances creating a lifetime of precision printing and stability.



SIDE CLAMPS


For a larger screen capacity and flexibility, BBC offers side clamps. For auto or round frames the side clamps provide a simple solution.



UNIVERSAL QUICK RELEASE PLATEN

The Ink Setter comes standard with a quick release plates system. Easily change platen sizes to meet each jobs specifications.

Add our universal quick release platen adapter to increase the compatibility of your platens across your press brands.



**REDEFINING
— THE —
INDUSTRY
STANDARD**



DUAL GATE REGISTRATION

The BBC Legacy employs the use of Dual Gate registration. The Only press in the industry to use this 2 point registration system which is why it is the only press in the industry that will never get sloppy with age. 2 Point registration system, now that is a game changer.



FLOATING PRINT HEAD

The BBC Legacy is a true "All Arms Down Machine." Other machines claim this feature but get sloppy after this feature is used due to the lack of precision that this feature requires. Enter the BBC Floating Print head. This features disengages the print head from the center of the machine and automatically centers the head on each print arm perfectly, everytime. The floating print head also allows for multiple printers at once without affecting each others prints as the print head is disengaged and not effected by movement of other print heads.



NON-LINKED MICRO REGISTRATION

Gone are the days of dealing with skewing screens when dialing in registration. The legacy's non linked micro registration gives you true left and right, or in and out motion to drastically shorten setup and increase efficiency and profitability. The spring loaded micros have no lash and you will never go back.



PART NUMBER BBC20000
COLORS/STATIONS 4/4
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 96" x 48"

This model is customizable from 1 color 1 station up to 4 color 1 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC20050
COLORS/STATIONS 6/6
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 96" x 48"

This model is customizable from 1 color 1 station up to 6 color 4 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC21050
COLORS/STATIONS 8/8
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 114" x 48"

This model is customizable from 1 color 1 station up to 4 color 1 station. Ask your sales representative for details on all models and specifications.



PART NUMBER BBC22030
COLORS/STATIONS 10/10
MAX SCREEN WIDTH 24"
DIMENSION - DIA x HGT 132" x 48"

This model is customizable from 1 color 1 station up to 6 color 4 station. Ask your sales representative for details on all models and specifications.

With its revolutionary floating print head design, unrivaled precision, and rugged construction, The BBC Legacy is undoubtedly the world's best and most profitable manual screen printing press. Whether you choose a 4 color or 10 color, the Legacy will blow you away with its effortless rotation of both the print heads and platen arms. Utilizing 2 sets of ultra-industrial tapered bearing's, lathe turned center shaft and heavy wall aluminum platen arms the Legacy is built for a lifetime of printing. Want efficiency? Its non-linked micros will make setting up your next job a breeze and will eliminate the headache of skewing images you've experienced using other brands traditional micro systems. With the Legacy you get true left or right, in or out movement drastically cutting setup time and increasing profitability. Want flexibility? Easily change Platen sizes or type with the Legacy's quick release system. Have an automatic press? Simply add the Legacy Platen adapter and begin using platens from many popular automatic presses. Join the revolution and print your Legacy.



PRECISION WELDED STEEL STRUCTURE

The legacy is manufactured using a combination of laser cut steel and a solid machined center shaft. The legacy uses extruded aluminum arms to eliminate operator fatigue without sacrificing quality or strength. These high end materials and processes allows for extremely tight tolerances creating a lifetime of precision printing and stability.



SIDE CLAMPS

For a larger screen capacity and flexibility, BBC offers side clamps. For auto or round frames the side clamps provide a simple solution.



UNIVERSAL QUICK RELEASE PLATEN

The legacy comes standard with a quick release platen system. Easily change platen sizes to meet each jobs specifications.

Add our universal quick release platen adapter to increase the compatibility of your platens across your press brands.



DIGITAL DRYERS

Wide Format Digital Printing has advanced to where the printers can apply ink faster than it can dry in open air. The wide variety of inks and medias available for different applications also increase the need for additional drying. This unique and first of a kind BBC portable infrared dryer will conveniently roll up to your printer and gently dry the ink to a full cure. Thousands of printers, around the world, are using the Digi Dri for print-to-cut, laminating immediately or using their take up reel without compromising the print. No more wasted time and space waiting for prints to outgas for hours. Print up to 860 ft²/hr with this scalable system.



Auto Shut-off
Optional



Built-in
Heat Control



Instant
Outgassing



5 Sizes
Available




Scalable



Laminate
Immediately



Casters
Included



LARGE FORMAT DRYER

Includes One Heater Assembly, One Controller and Stand. Recommended for Print Speeds Up to 200 Sq. Ft. per Hr.

Model	Volts	Watts	Amps	Cord & Plug	For Printer Width	Weight
DD36-675-120 V-DS	120	675	5.6	10 ft. 120 Volt Grounded	Up to 36 inches	58 lbs
DD54-1000-120 V-DS	120	1000	8.3	10 ft. 120 Volt Grounded	Up to 54 inches	63 lbs
DD54-1000-220 V-DS	220	1000	4.5	10 ft. No plug provided	Up to 54 inches	63 lbs
DD64-1200-120 V-DS	120	1200	10.0	10 ft. 120 Volt Grounded	Up to 64 inches	68 lbs
DD64-1200-220 V-DS	220	1200	5.4	10 ft. No plug provided	Up to 64 inches	68 lbs
DD72-1350-120 V-DS	120	1350	11.3	10 ft. 120 Volt Grounded	Up to 72 inches	73 lbs
DD72-1350-220 V-DS	220	1350	6.1	10 ft. No plug provided	Up to 72 inches	73 lbs

SECOND HEATER KIT

Includes One Heater Assembly and One Controller. Recommended for Print Speeds Over 200 Sq. Ft. per Hr.

Model	Volts	Watts	Amps	Cord & Plug	For Printer Width	Weight
DDH36-675-120 V-DS	120	675	5.6	10 ft. 120 Volt Grounded	Up to 36 inches	29 lbs
DDH54-1000-120 V-DS	120	1000	8.3	10 ft. 120 Volt Grounded	Up to 54 inches	34 lbs
DDH54-1000-220 V-DS	220	1000	4.5	10 ft. No plug provided	Up to 54 inches	34 lbs
DDH64-1200-120 V-DS	120	1200	10.0	10 ft. 120 Volt Grounded	Up to 64 inches	39 lbs
DDH64-1200-220 V-DS	220	1200	5.4	10 ft. No plug provided	Up to 64 inches	39 lbs
DDH72-1350-120 V-DS	120	1350	11.3	10 ft. 120 Volt Grounded	Up to 72 inches	44 lbs
DDH72-1350-220 V-DS	220	1350	6.1	10 ft. No plug provided	Up to 72 inches	44 lbs

GRANDE FORMAT DRYER

Includes One Heater Assembly, One Controller and Stand. Recommended for Print Speeds Up To 430 Sq. Ft. per Hr.

Model	Volts	Watts	Amps	Cord & Plug	For Printer Width	Weight
DD108-1800-120V-DS	120	1800	15.0	10 ft. 120 Volt Grounded	Up to 108 inches	116 lbs
DD108-2000-220V-DS	220	2000	9.1	10 ft. No plug provided	Up to 108 inches	116 lbs

SECOND HEATER KIT

Includes One Heater Assembly and One Controller. Recommended for Print Speeds Up To 860 Sq. Ft. per Hr.

Model	Volts	Watts	Amps	Cord & Plug	For Printer Width	Weight
DD108-1800-120V-DS	120	1800	15.0	10 ft. 120 Volt Grounded	Up to 108 inches	87 lbs
DD108-2000-220V-DS	220	2000	9.1	10 ft. No plug provided	Up to 108 inches	87 lbs



Increase your cure, allowing for printing up to 860 ff/hr
by adding the Second Heater Kit.